

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

November 04, 2013

WELL WORK PLUGGING PERMIT

Plugging

This permit, API Well Number: 47-1701038, issued to CNX GAS COMPANY LLC , is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalities being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions, please free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: 10618 (A 226)

Farm Name: WILEY, STANLEY D.,. ET AL

API Well Number: 47-1701038

Permit Type: PluggingDate Issued: 11/04/2013

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

WW-4B Rev. 2/01

1) Date October 8	3	2013
2) Operator's		
Well No. 10618	3	
3) API Well No	. 47-017	- 01038

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

APPLICATION FOR A PER	RMIT TO PLUG AND ABANDON
4) Well Type: Oil/ Gas X / Liqui	id injection/ Waste disposal/
(If "Gas, Production X or Un	nderground storage) Deep/ Shallow X
5) Location: Elevation 862.19'	Watershed Beverlin Fork
District McClellan 05	County Doddridge 7 Quadrangle Folsom 349
CNY Gas Company LLC	
6) Well Operator CNX Gas Company LLC Address P.O. Box 1248	7)Designated Agent_Jeremy Jones
Jane Lew, WV	Address P.O. Box 1248
dane Lew, VV V	Jane Lew, WV
8) Oil and Gas Inspector to be notified	
Name Douglas Newlon	9) Plugging Contractor
Address 4060 Dutchman Road	Name See Attached
McFarlan, WV 26148	Address
 Load Hole with Gel and circulate @ Spot 300' cement plug in 4.5" csg 1895 Cut and pull 4.5" csg @ 1550' Gel hole Spot 100' cmt plug over cut 1550'- Spot 100' cmt plug over hole change Spot 100' cmt plug over hole change Spot 100' cmt plug to surface 100'- 	1450' ge 950'-850' AND ACKOS ELEVATION. ge 250'-150' 0'. 9. Set monument
Notification must be given to the district of work can commence. Work order approved by inspector	Date 10-16-2013 and Gas protection of Environmental Protec

Form OG-10



DEPARTMENT OF MINES OIL AND GAS DIVISION 7

Rotary Spudder : Cable Tools Storage

Quadrangle Centerpoint

WELL RECORD

npany Allegheny dress Clarksburg	Land & Mine	A				(KIKD)
		STAIL COMPANY	CERIBE AND	Used in	Left in	D
		-0/	Tubing	Drilling	Well	Packers
8 M. Cumberl	eage Hrs.	Acres 100				
ation (waters)		Elev. 858	Sizo			
No. A-226	- 20		16	191	191	Kind of Packer
trict McClellan			18			·
surface of tract is owned			10	9041		Size of
		ione, Wayke.	8%	904.		
eral rights are owned by.			61/2 10	20061	20061	Depth set
lling commenced &		sburg, W.V.	• 58/16X	2000.	20061	202
lling commenced S			3			Perf. top 1894.5
		ro	2			Perf. bottom 1900.
hFI	Oct	10	Liners Used			Perf. top
n Flow 76 /10ths Water	28	Inch				Perf. bottom 1972.
/10ths Merc						A .
		Cu. Ft.		ENTED 44#		No. Ft. 9-29-63 at
	teken	hrs.	65 cement	tuapa E.J	el,20 ba	roid, 3 lime
Show on	3-	bbls., 1st 24 hrs.	COAL WAS E	NCOUNTERED	AT	FEETINCHES
LL ACIDIZED			FEET			PEETINCHES
						FEETINCHES
LL FRACTURED	October 1	, 1963 By I	ovell- Val	ter sand	eid.	- PEBIINCHES
SULT APTER TREATME	NT 80/10	Water 4"	1,501 M			
CK PRESSURE AFTER 1			hr.			
th Water Hole full		22	_Salt Water			
			_ Salt Water		Pec	L
Formation Color	Hard or Soft	Тор	Bottom	Cil, Gas or Water	Depth	Remarks
		0	25 35 85	resh wate	22	Hole full
lock	1	22	32 ∣			
Bock	1	85	. 95		i	1
	1					1
9	1	:95	·148	-		
•		148 148	148 158	•		
•		255 355 955 148 158	· 148 158 258	• -		
•		158 258	294	•		
Rock		158 258 294	294 310	•		
•		258 258 294 310	294 310 320	•		
Rock		258 258 294 310	294 310	• 1		
Rock		258 258 294 310	294 310 320	• 12		
Rock		258 254 310 320 385 633 650	294 310 320 385 633	• 12		
Rock s & sholls		158 2584 2510 3205 333 650 685	294 310 320 385 633 650 685 705	. 12		65 1
Rock e & shells		158 258 254 310 320 385 633 650 685 705	294 310 320 385 633 650 685 705	. '-		65 1
Rock a & sholls		158 258 294 310 320 385 633 650 685 705	294 310 320 385 633 650 685 705	. '-		65 1
Rock d shells dock		158 258 254 310 320 385 633 650 685 705	294 310 320 385 633 650 685 705	. '-	-	65 1
Rock a & sholls		158 258 294 310 320 385 633 650 685 705	294 310 320 385 633 650 685 705			65 1
Rock d shells dock		158 258 294 310 325 633 650 660 705 710 727 775 860 880	294 310 320 385 630 685 705 710 727 775 880 916			65 1
Rock d shells Rock		158 258 254 310 320 385 633 650 685 7710 727 775 860 880 916	294 310 320 385 630 685 705 717 727 860 886 915	. 12		
Rock a & shells Rock		158 258 294 310 320 385 633 633 650 705 7127 727 860 880 916	294 310 325 633 650 700 727 775 880 916 917	. 12	-	
Rock & shells Rock		158 258 294 310 320 385 633 633 650 705 7127 727 860 880 916	294 310 320 385 650 650 705 710 727 775 880 916 945 945 1000	. 12	- TO 19 18	
Rock d shells Rock		158 258 294 310 320 385 633 650 685 705 727 777 860 880 916 945 970	294 310 320 385 630 685 705 710 727 775 880 916 945 900 1000	. "_	THE PARTY OF	1617 1070)
Rock de shells Rock		158 258 254 310 320 385 633 650 685 7710 727 775 880 945 916 945 970	294 310 320 385 630 685 705 710 727 775 880 916 945 900 1000		1121214 S	167 Billion
Rock & shells Rock		158 258 294 310 320 385 633 650 685 705 710 727 775 880 916 945 970 1060 1060	294 310 320 385 650 650 707 777 777 880 916 945 1000 1093 11170		> 0C1 /:	657 WAR
Rock de shells dock		158 258 254 310 320 385 633 650 685 7710 727 775 880 945 916 945 970	294 310 320 385 630 685 705 710 727 775 880 916 945 900 1000		> 0C1 /:	167 Billion

MA Debriol Europainmental Suctaction

Pormetica	Coler	Hard or Belt	Top .*	Baltom	Oct, Gus or Water	Depth Found	Kemarku
and late and late ed Rock late ed Rock late ittle Lime late sener sand niun reak quaw late otal depth	1 s		1333 1380 1512 1524 1627 1675 1680 1744 1776 1772 1797 1868 1878 1905 1914 1998	1380 1512 1524 1627 1675 1680 1744 1776 1772 1777 1868 1878 1878 1905 1914 1998 2006 2006	Gas Gas Oll		/10 1" 13 76/10 4 36 N
	Baker pl	og perfora	950 and w		72.5 2 00.5 2 actured in	+ shots + shots formation	
	above an	d below pi		ceiv	sd		
	-		Pie	OCT Office	SQ	- Protection	
-		WE-F	es c	M Debr.	-		
	~	-					


Deta October 10. 18 63
APPROVED Allegheny Land & Mineral Co., Owner
By Claron Dawson, Mahons, WaVa.
(Title)


•

Lease No. 4404 Acres 102. Range: N. S. E. W.

Scale 1 801663 Made 19

250' from C.F. Longacre line
300' . Northern cor. of 6-tract & 95-tract
of same farm.





Received

Etephene Elegated and Eupply Company - Parkersburg, W. Virgins

Chief of Od Sud Cas

WN 10618

PHMIT 47-17-1038 ELEN. 858

No COAL 12" HOLE 217 10" HOLE 1 904 1 8" HOLE T.O.C. 1675' 4.5"

OCT 18 2010
Office of Oil and Gas
Office of Environmental Protection

WW-4A	
Revised	6-07

1) Date:	October 8, 20	13		
	2) Operator's Well Number			
3) API Well N	No.: 47 -	017	01038	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4) Surface Ow	ner(s) to be served:	/5) (a) Coal Operator	ş.
(a) Name	Earnest R. Wiley	Name	None of Declaration
Address	HC 67 Box 31	Address	Total of Decidation
	Centerpoint, WV 26339		
(b) Name	Stanley and Mary Wiley	(b) Coal Ow	ner(s) with Declaration
Address	1882 Rolling Acres Road	Name	None of Declaration
	Cumberland, WV 26047	Address	Notice of Declaration
		11441635	
(c) Name		Name	
Address		Address	
		Address	
6) Inspector	Douglas Newlon		
Address	4060 Dutchman Road	(c) Coal Less	see with Declaration
Address		Name	None of Declaration
Telephone	McFarlan, WV 26148 304-932-8049	Address	
relephone	304-932-8049		
mo mira pa			
			ived this Form and the following documents:
(1) The a	application to Plug and Abandon a W	ell on Form WW-4B, which s	sets out the parties involved in the work and describes the
	ts and the plugging work order; and lat (surveyor's map) showing the well		
The reason However, ye	you received these documents is that you lou are not required to take any action at all.	have rights regarding the applica	ation which are summarized in the instructions on the reverses side.
Take notice	that under Chapter 22 6 after Wart Visit		
			perator proposes to file or has filed this Notice and Application and Office of Oil and Gas, West Virginia Department of Environmental
			vered by hand to the person(s) named above (or by publication in
certain circu	imstances) on or before the day of mailing of	or delivery to the Chief.	
mm	OFFICIAL SEAL 3	rator CNX Gas Company LLC	
OF WEST VIA	NOTARY PUBLIC By:	Jeremy Jones	CYCCOCCOCCOCCOCCOCCOCCOCCOCCOCCOCCOCCOCC
The Act	STATE OF WEST VIRGINIA Dts: CAROLINDA FLANAGAN Address	TANKS OF THE PARTY	neral Manager, WV Gas Operations
	CAROLINDA FLANAGAN Address	P.O. Box 1248	
	Lumberport WV 26388	Jane Lew, WV 26378	
My C	ommission Expires September 15, 2021 Telephone	e 304-884-2009 - Amanda	a Wright, Permitting Supervisor
~~~~~~			
			1.
Subscribed and s	worn before me this 8th	day of October 2013	1,100
Junt	indu Hamp	<b>/</b>	Notary Public
My Commission	Expires 9/15/2021		Notary Public Received
O:1 1 C . D :	N		6013
Oil and Gas Privac	ey Notice		18 200

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of and Gas business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our personal office will appropriately secure your personal information. If you have any questions about our use of your personal officer at depprivacyoffier@wv.gov.

WW-9 Rev. 5/08


Page	1 of 3
API Number 47 - 017	- 01038
Operator's Well No. 1061	18

### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

Operator Name CNX Gas Compa	any LLC	OP Code 494458046	
Watershed Beverlin Fork	Quadrang		
Elevation 862.19'	County_Doddridge	_{District} McClellan	
			2
Will a synthetic liner be used in the pi	t? Yes - 20 ml		DCN-2013
Off Site Dis	cation nd Injection ( UIC Permit Number	sal location)	
Proposed Work For Which Pit Will Be Drilling Workover Other (Exp	Used:  X Swa		
provisions of the permit are enforceablaw or regulation can lead to enforcem I certify under penalty of lar application form and all attachments obtaining the information, I believe the penalties for submitting false information.  Company Official Signature  Company Official (Typed Name)	le by law. Violations of any term or ent action.  w that I have personally examined at thereto and that, based on my inquest hat the information is true, accurate, on, including the possibility of fine or the company of the company of the possibility of the company of the possibility of the company of the	anager WV Gas Operat	erstand that the other applicable bmitted on this responsible for are significant
Subscribed and sworn before me this 1  And the subscribed and sworn before me this 1  My commission expires 9/15/202	Range	Notory Public	OFFICIAL SEA!  NOTARY PUBLIC CAS STATE OF WEST VIRIGINIA.)  CAROLINDA FLANAGAN  PO Box 603  Lumberport WY 26396  Commission Expires September 15, 2021

ι	ECEND	
Property Boundary	Diversion Comments	
Road = = = = = = = = = = = = = = = = = = =	Spring	
Existing Fence — X — X — X —	Wet Spot	
Planned Fence / / /	Drain Pipe with size in inches	- @ <del></del>
Stream Stream	Waterway $\longleftrightarrow$	$\Leftrightarrow$
Open Ditch	Cross Drain	
Rock #35886	Artificial Filter Strip	
North N	Pit: cut walts	
Buildings Water wells	Pit: compacted fill walls	*
Drill site	Area for Land Application of Pit Waste	<b>3</b>
Dim site	6-1-1	
Proposed Revegetation Treatment: Acres Disturbed 55.83 a	cres Prevegetation pH 6.5	
. Distance Transfer Transfer Distance	Prevegetation pH	
Lime Tons/acre or to correct to pH _	<u> </u>	
Fertilizer (10-20-20 or equivalent) 500 lbs/ac	ere (500 lbs minimum)	
Mulch_hay or straw @ 2		
	Aixtures	
Area I	Area II	
Seed Type lbs/acre	A	s/acre
Orchard Grass 25	Orchard Grass 25	
Birdsfoot Trefoil 15	Birdsfoot Trefoil 15	
Ladino Clover 10	Ladino Clover 10	<del></del>
	10	<del></del>
Attach: Drawing(s) of road, location,pit and proposed area for land application. Photocopied section of involved 7.5' topographic sheet.  Plan Approved by:  Dauglas Newlon	ation.	
The second of the second		<u> </u>
Comments: 113 Tall Ets and rec	claim to We Pop re	c Nations
Title: Oil o Da inspector	Date: 10 - 16 - 2013	
Field Reviewed? () Yes ()	No	Office of Officed Oas WAY I gat of Environmental Profession



XMap® 7



WW-7 5-02



# West Virginia Department of Environmental Protection Office of Oil and Gas WELL LOCATION FORM: GPS

	API: 47-017-01038	WELL NO.:	10618	_
	FARM NAME: S. M. CU	MBERLEDGE		
	RESPONSIBLE PARTY NAME:	CNX GAS COMPANY I	LLC	_
	COUNTY: DODDRIDGE	DISTRICT:	McCLELLAN	
	QUADRANGLE:FOLS	SOM 7.5'		
	SURFACE OWNER: STANLEY D. WILLEY, ET	. AL. 1882 ROLLING AC	. RD., NEW CUMBERLAND, WV,	26047
	ROYALTY OWNER:PEARL MO	DRGAN		
4	UTM GPS NORTHING: 4,363,360.53 METER			
	UTM GPS EASTING: 534,091.08 METERS	GPS ELEVA	TION: 262.80 METERS	862, 19 FT.
	The Responsible Party named above has chosen to submit C a plugging permit on the above well. The Office of Oil and C following requirements:  1. Datum: NAD 1983, Zone: 17 Coordinate Units: met 2. Accuracy to Datum - 3.05 meters 3. Data Collection Method: Survey Grade GPS:  Mapping Grade GPSX	Gas will not accept GPS eers Altitude: Height	coordinates that do not meet t	meters
	I the undersigned hereby state this data is correct to the bes by law and the regulation issued and prescribed by the Office	t of my knowledge and bece of Oil and Gas.	pelief and shows all the inform	ation required
	Signature Muchael Evans, PS	`itleWV Pro	fessional Surveyor #900	
	Date05/22/13		v Fair	NOME
CN	CNX USE: NAD 27 WV NORTH SPC: 10618 = 336,639.31'	1,688,072.69' ELEV. = 3	862.19'	SLITE OF STATE



Carolinda Flanagan Permitting Analyst P.O. Box 1248 Jane Lew, WV 26378 (304) 884-2057

October 10, 2013

Earnest R. Wiley HC 67 Box 31 Centerpoint, WV 26339

Re: Well # 10618; API # 47-017-01038

McClellan District, Doddridge County

To Whom It May Concern:

CNX Gas Company LLC is in the process of applying for a permit to <u>Plug</u> a well on the above noted lease of which you are the Surface/Coal Owner.

Enclosed are copies of the Notice and Application, Permit and the Location Plat.

Please note the instructions on the Surface/Coal Owner Waiver form. If you have no objection to the <u>Plugging</u> being done, please follow instructions as they are given, sign and date the waiver and return it to us in the self addressed envelope.

Sincerely,

Carolinda Flanagan

**Enclosures** 

AN Destroy of Oil and Ous and one



Carolinda Flanagan Permitting Analyst P.O. Box 1248 Jane Lew, WV 26378 (304) 884-2057

CNIGAS

October 10, 2013

Stanley and Mary Wiley 1882 Rolling Acres Road Cumberland, WV 26047

Re: Weil # 10618; API # 47-017-01038

McClellan District, Doddridge County

To Whom It May Concern:

CNX Gas Company LLC is in the process of applying for a permit to Plug a well on the above noted lease of which you are the Surface/Coal Owner.

Enclosed are copies of the Notice and Application. Permit and the Location Plat.

Please note the instructions on the Surface/Coal Owner Waiver form. If you have no objection to the Plugging being done, please follow instructions as they are given, sign and date the waiver and return it to us in the self addressed envelope.

Sincerely,

Carolinda Flanagan

**Enclosures** 

Received

MA Debt of Euniconweater busection